

6. - BIBLIOGRAFIA

- AGUIRRE-ÁLVAREZ, A.A. (1989) Clinical and toxicological findings in Caribbean Flamingos *Phoenicopterus ruber* during a recent outbreak of lead poisoning in Yucatán, México. Proceedings of American Association of Zoo Veterinarians (Anual Meeting).
- AMIARD-TRIQUET C., D.J. PAIN, G. MAUVAIS y L. PINAULT (1992). *En* J.P. VERNET: Impact of heavy metals on the environment. Elsevier Sciences Publications, Holland.
- ANDERSON, W.L. (1975). Lead poisoning in waterfowl at Rice Lake, Illinois. *Journal of Wildlife Management* 39: 264-270.
- ANÓNIMO (1986a). Use of lead shot for hunting migratory birds in the United States. U.S. Fish and Wildlife Service Final Supplement Environment impact statement.
- ANÓNIMO (1986b). NWF seeks to ban lead shot nationwide. *International Wildlife* 16: 27.
- ANÓNIMO (1991). Cartuchería española a examen. Trofeo nº 254, pp 1-25.
- ARAÚJO, J. (1990). La muerte silenciosa: España hacia el desastre ecológico. Ediciones Temas de Hoy, Madrid.
- BABOR, J.A. y J. IBARZ (1970) *Química General Moderna*. Editorial Marín, Barcelona.
- BAGLEY, G.E., L.N. LOCKE y G.T. NIGHTINGALE (1967). Lead poisoning in Canada Geese in Delaware. *Avian Diseases* 11: 601-608.
- BARTELS, K.E., E.L. STAIR y R.E. COHEN (1991). Corrosion potential of steel bird shot in dogs. *Journal of the American Veterinary Medical Association* 199:856-863.
- BAYLE, P., F. DERMAIN y G. KECK (1986). Trois cas de saturnisme chez le flamant rose *Phoenicopterus ruber* dans la region el Marseille. *Bulletin de la Societé Linneane de Provence* 38: 95-98.
- BEER, J.V. y P. STANLEY (1965). Lead poisoning in the Slimbridge wildfowl collection. *The Wildfowl Trust Annual Report* 16: 30-34.
- BELLROSE, F.C. (1959). Lead poisoning as a mortality factor in waterfowl populations. *Illinois Natural History Survey Bulletin* 27: 235-288.
- BÉNÉZECH, C. (1973). *El Agua, Base Estructural de los Seres Vivos*. Editorial Labor, Barcelona, pp. 31-44.
- BENSON, W.W., D.W. BROCK, J. GABICA y M. LOOMIS (1976). Swan mortality due to certain heavy metals in the Mission Lake area, Idaho. *Bulletin of Environmental Contamination and Toxicology* 15: 171-174.
- BENSON, W.W., B. PHARAOH y P. MILLER (1974). Lead poisoning in a bird of prey. *Bulletin of Environmental Contamination and Toxicology* 11: 105-108.
- BERGAN, J. F., y L. M. SMITH (1993). Survival rates of female Mallards wintering in the Playa Lakes region. *Journal of Wildlife Management*, 57:570-577.
- BERNUÉS, M. (1990). Doñana. *En* A. TROYA Y M. BERNUÉS (Coord). *Humedales españoles en la*

- BEST, T.L., T.E. GARRISON y C.G. SCHMITT (1992). Availability and ingestion of lead shot by Mourning Doves *Zenaida macroura* in Southeastern New Mexico. *The Southeastern Naturalist* 37: 287-292.
- BLUS, L.J., C.J. HENNY, D.J. HOFFMAN y R.A. GROVE (1991). Lead toxicosis in Tundra Swans near a mining and smelting complex in Northern Idaho. *Archives of Environmental Contamination and Toxicology* 21: 549-555.
- BLUS, L.J., R.K. STROUD, B. REISWIG y T. McENEANEY (1989). Lead poisoning and other mortality factors in Trumpeter Swans. *Environmental Toxicology and Chemistry* 8: 263-271.
- BODY, P.E., G. INGLIS, P.R. DOLAN y D.E. MULCAHY (1991). Environmental lead: A review. *Critical Reviews in Environmental Control* 20: 299-310.
- BODY, P.E., G. INGLIS y D.E. MULCAHY (1988). Lead contamination in Port Pirie, South Australia. South Australian Department of Environment and Planning, Report No. 101, pp. 1-87.
- BORG, K. (1975). *Viltjukdomar*. L.T.'s Forlag Helingoorg.
- BOUTIN, J., Y. CHÉRAIN y PH. VANDEWALLE (1991). Suivis de populations naturelles: Compte rendu ornithologique Camarguais pour les années 1988-1989. *Revue d'Ecologie - La Terre et la Vie* 46: 263-289.
- BUERGER, T., R.E. MIRARCHI y M.E. LISANO (1986). Effects of lead shot ingestion on captive Mourning Dove survivality and reproduction. *Journal of Wildlife Management* 50: 1-8.
- CALVERT, H. J. (1876). Pheasants poisoned by swallowing shots. *The Field* 47: 189.
- CANADIAN WILDLIFE SERVICE (1990). A draft policy statement for the use of lead shot for waterfowl hunting in Canada. Canadian Wildlife Service, Ottawa, Ontario.
- CARBAJO, E., A. GÓMEZ y J.M. BLANCO (1988). Intoxicación por plomo en aves rapaces: Una revisión. Informe no publicado.
- CARRANZA GUZMAN, J., A. MIRANDA GARCÍA, L. LEÓN VIZCAINO, J.A.PEREA REMUJO y M. HERMOSO DE MENDOZA (1982). Intoxicación por plomo en Porrón Común *Aythya ferina*. III^a. Reunión Iberoamericana de Conservación y Zoología de Vertebrados, Buenos Aires, pp. 27.
- CERRADELO, S. y R. GUITART (1990) Intoxicación por plomo en aves acuáticas. *Quercus* n^o 57, pp 12-14.
- CERRADELO, S., E. MUÑOZ, J. TO-FIGUERAS, R. MATEO y R. GUITART (1992). Intoxicación por ingestión de perdigones de plomo en dos Águilas Reales. Doñana, *ActaVertebrata* 19: 122-127.
- CHASKO, G.G., T.R., HOEHN y P. HOWELL-HELLER (1984). Toxicity of lead shot to wild Black Ducks and Mallards fed natural foods. *Bulletin of Environmental Contamination and Toxicology* 32: 417-428.
- CHUPP, N.R. y P.D. DALKE (1964). Waterfowl mortality in the Coeur d'Alene River Valley, Idaho. *Journal of Wildlife Diseases* 28: 692-702.
- CLAUSEN, B. y C. WOLSTRUP (1979). Lead poisoning in game from Denmark. *Danish Review of Game Biology* 11: 22.
- CLEMENS, E.T, L. KROOK, A.L. ARONSON y C.E. STEVENS (1975) Pathogenesis of lead shot poisoning in the Mallard duck. *Cornell Veterinary* 65: 248-285.

- COHEN, A.J. y F.J.C. ROE (1991). Review of lead toxicology relevant to the safety assessment of lead acetate as a hair colouring. *Food and Chemical Toxicology* 7: 485-507.
- COOK, R.S. y D.O. TRAINER (1966). Experimental lead poisoning of Canada Geese. *Journal of Wildlife Management* 30: 1-8.
- CUBELLS PARRILLA, F. (1992) Influencia en la avifauna del perdigón de plomo. Trofeo no 260, pp 36-37.
- CRAIG, T.H., J.W. CONNELLY, E.H. CRAIG y T.L. PARKER (1990). Lead concentrations in Golden and Bald Eagles. *The Wilson Bulletin* 102: 130-133.
- DAURY, R.W., F.E. SCHWAB y M.C. BATEMAN (1993). Blood lead concentrations of waterfowl from un hunted and heavily hunted marshes of Nova Scotia and Prince Edward Island, Canada. *Journal of Wildlife Diseases* 29: 577-581.
- DECKER, R.A., A.M. McDERMID y J.W. PRIDEAUX (1979). Lead poisoning in two captive King Vultures. *Journal of the American Veterinary Medical Association* 175: 1009.
- DESTEFANO, S., C.J. BP-AND y D.H. RUSCH (1992). Prevalence of lead exposure among age and sex cohorts of Canada Geese. *Canadian Journal of Zoology* 70: 901-906.
- DESTEFANO, S., C.J. BRAND, D.H. RUSCH, D. L. FINLEY y M. M.GILLESPIE (1991). Lead exposure in Canada geese of the Eastern Prairie population. *Wildlife Society Bulletin* 19: 23-32.
- DEGERNES, L.A., P.T. REDIG y M.L. FREEMAN (1990). Treatment of lead poisoning in Trumpeter Swans *Cygnus buccinator*. *Wildlife Rehabilitation* 8: 15-20.
- DIXON, R.L. (1986). Toxic responses of the reproductive system. *En* C.D. KLAASSEN, M.O. AMDUR y J. DOULL, (Eds): *Casarett and Doull's Toxicology: The Basic Science of Poisons*. Macmillan Publishing Company, New York, pp. 432-477.
- DOLZ, J.C. y J.A. GÓMEZ (1988). Las anátidas y fochas invernantes en España. *En* J.L. TELLERÍA: *Invernada de aves en la Península Ibérica*. Sociedad Española de Ornitología, Monografía n^o1, Madrid.
- DORST, J. (1976). Las aves en su medio ambiente. *Historia Natural Destino*, vol. 14. Ediciones Destino, Barcelona.
- ELDER, W.H. (1950). Measurements of hunting pressure in waterfowl by means of X-ray. *Transactions of North American Wildlife Conference* 15: 490-504.
- FOLCH y GUILLÉN, R. (ed.) (1988). *Natura, Ús o Abús?: Llibre Blanc de la Gestió de la Natura als Països Catalans*. Institució Catalana d'Història Natural, Membria núm. 9. Editorial Barcino, Barcelona.
- FREDRIKSON, L.H., T.S. BASKETT, G.K. BRAKHAGE y V.C. CRAVENS (1977). Evaluating cultivation near duck blinds to reduce lead poisoning hazard. *Journal of Wildlife Management* 41:624-631.
- FRÉMY, D. y M. FRÉMY (1988). *Quid 1989*. Éditions Robert Laffont, S.A., Paris.
- FRENZEL, R.W. y R.G. ANTHONY (1989). Relationship of diets and environmental contaminants in wintering Bald Eagles. *Journal of Wildlife Management* 53: 792-802.
- FRIEND, M. (1985). Interpretation criteria commonly used to determine lead poisoning problem areas. *U.S. Fish and Wildlife Service, Fish and Wildlife Leaflet 2, Washington D.C.*, pp. 1-4.
- FRIEND, M. (1987). Lead poisoning. *En* M. FRIEND (Ed.): *Field Guide to Wildlife Diseases, Volume 1*. US Department of the Interior, Fish and Wildlife Service, Washington DC, pp. 175-189.

FURNESS, J.C. y R.J. ROBEL (1989). X-Ray and visual detection of shot in waterfowl gizzards and marsh substrate. Transactions of the Kansas Academy of Science 92: 79-82.

GARZON, J., L.M. GONZÁLEZ, J.L. GONZALEZ y F. HIRALDO (1984). Situación actual y problemática del Águila Imperial Ibérica *Aquila adalberti* (Brehm, 1961) en España. Rapinyaires Mediterranis 2: 60-69.

GENERALITAT VALENCIANA (1991). Plan Especial de Protección del Parque Natural de L'Albufera de Valencia. Valencia.

GIDDINGS, R.F. (1980). Lead poisoning in a Parakeet. Veterinary medicine / Small Animal Clinician 75: 1015-1016.

GISBERT CALABUIG, J.A. (1985). Medicina Legal y Toxicología. Publicaciones Médicas y Científicas, Valencia.

GONZÁLEZ, J.L. (1991). El Aguilucho Lagunero *Circus aeruginosus*, en España. ICONA-CSIC, Madrid.

GONZALEZ, M.J., M.C. RICO, M.C. FERNÁNDEZ-ACEYTUNO, L.M. HERNÁNDEZ y G. BALUJA (1983). Contaminación xenobiótica del Parque Nacional de Doñana. II. Residuos de insecticidas organoclorados, bifenilos policlorados (PCBs) y metales pesados en Falconiformes y Strigiformes. Doñana, Acta Vertebrata 10: 177-189.

GONZÁLEZ, M. y M.C. TEJEDOR (1991). Niveles de plomo en sangre y hueso de palomas tratadas o expuestas al medio ambiente de Alacalá de Henares. VIII Jornadas Toxicológicas Españolas. Ministerio de Sanidad y Consumo, Madrid. GORDUS, A.G. (1993). Lead concentrations in liver and kidneys of Snow Geese during an avian cholera epizootic in California. Journal of Wildlife Diseases 29: 582-586.

GÓRLACH, U. y C.F. BOUTRON (1992). Variations in heavy metals concentrations in Antarctic snows from 1940 to 1980. Journal of Atmospheric Chemistry 14: 205-222.

GRAN ENCICLOPEDIA LAROUSSE (1989). Editorial Planeta, Barcelona. Pp. 8692-8694.

G RANDJEAN, P. (1988). Ancient skeletons as silent witnesses of lead exposures in the past. CRC Critical Reviews in Toxicology 19: 11-21.

GRINNELL, G.B. (1894). Lead poisoning. Forest and Stream, 42:117-118.

GUITART, R., R. MATEO, J. TO-FIGUERAS y S. CERRADELO (1992a) Prevalencia de la intoxicación por ingestión de perdigones de plomo en ocellos acuáticos del delta de l'Ebre. Universitat Autònoma de Barcelona, Bellaterra.

GUITART, R., J. TO-FIGUERAS, R. MATEO, A. BERTOLERO, S. CERRADELO y A. MARTINEZ-VILALTA (1994). Lead poisoning in waterfowl from the Ebro delta, Spain: Calculation of lead exposure thresholds for Mallards. Archives of Environmental Contamination and Toxicology 27: 289-293.

GUITART, R., M. TORRA, S. CERRADELO, P. PUIG-CASADO, R. MATEO y J. TO-FIGUERAS (1994, citada en el texto como 1992b). Pb, cd, As and Se concentrations in livers of wild birds from the Ebro Delta, Spain: Relationship with the diet. Bulletin of Environmental Contamination and Toxicology 52: 523-529.

HAEGELE, M.A., R.-K. TUCKER y R.H. HUDSON (1974). Effects of dietary mercury and lead on eggshell thickness in Mallards. Bulletin of Environmental Contamination and Toxicology 11: 5-11

HARDMAN, J.A. y D.R. COOPER (1980). Mute Swans on the Warwickshire Avon - A study of a decline. Wildfowl 31: 2936.

- RAVERA, S.P., R.M. WHITTON y R.T. SHEALY (1992a) . Blood lead and ingested and embedded shot in diving ducks during spring. *Journal of Wildlife Management* 56: 539-545.
- HAVERA, S.P, S.G. WOOD, y M.M. GEORGI (1992b). Blood and tissue parameters in wild Mallards redosed with lead shot. *Bulletin of Environmental Contamination and Toxicology* 49:238-245.
- HEMPHILL, F.E., M.L. KAEBERLE y W.B. BUCK (1971). Lead supresion of Mouse resistance to *Salmonella typhimurium*. *Science* 172:1031-1032.
- HENRY, C.J., L.J. BLUS, D.J. HOFFMAN, R.A. GROVE y J.S. HATFIELD (1991). Lead accumulation and osprey production near a mining site on the Coeur d'Aiene River, Idaho. *Archives of Environmental Contamination and Toxicology* 21: 415-424.
- HERNÁNDEZ, L.M., M.J. GONZÁLEZ, M.C. RICO y G. BALUJA (1984). Contaminación xenobiótica del Parque Nacional de Doñana. I.II. Residuos de insecticidas organoclorados, bifenilos policlorados y metales pesados en ciconiformes. *Doñana, Acta Vertebrata* 11: 197~212.
- HIRAI, M., T. KAWAMOTO, y Y. KODAMA (1991). Toxic effects of ingested lead shots in domestic Fowls. *Biological Trace Element Research* 30: 291-307.
- HOFFMAN, L. (1960). Le saturnisme fleau de la sauvagine en Camargue. *Terre et Vie* 107: 120-131.
- HOHMAN, W.L., R.D. PRITCHERT, R.M. PACE III ' D.W. WOOLINGTON y R. HELM (1990). Influence of ingested lead on body mass of wintering Canvasbacks. *Journal of Wildlife Management* 54: 211-215.
- HONDA, K., D.P. LEE y R. TATSUKAWA (1990). Lead poisoning in swans in Japan. *Environmental Pollution* 65: 209-218.
- HOVETTE, C. (1972). Le saturnisme des Anatidés en Camargue. *Alauda* 40: 1-17.
- HUDSON, R.H., R.K. TUCKER y M.A. HAEGELE (1984). *Handbook of Toxicity of Pesticides to Wildlife*, 2nd ed. US Department of the Interior, Fish and Wildlife Service, Washington DC, p. 80.
- HUMPHREYS, D. J. (1990). *Toxicología Veterinaria*. Interamericana-McGraw Hill, Madrid.
- HUSAIN, M.M. y B.S. KAPHALIA (1990). Bioconcentration of cadmium, manganese and lead in some common species of wild birds from Lucknow city. *Journal of Environmental Biology* 11: 193-201.
- HUTTON, M. (1980). Metal contamination of feral pigeons, *Columba livia*, from the London Area: Part 2 - Biological effects of lead exposure. *Environmental Pollution* 22: 281-293.
- HUTTON, M. y G.T. GOODMAN (1980). Metal contamination of feral pigeons, *Columba livia*, from the London Area: Part 1 Tissue accumulation of lead, cadmium and zinc. *Environmental Pollution* 22: 207-217.
- INSTITUCIÓ CATALANA D'HISTÓRIA NATURAL (1977). *Treballs de la Institució Catalana d'Historia Natural*, núm. 8: Els Sistemes Naturals del delta de l'Ebre. Institut d'Estudis Catalans, Barcelona.
- IRWIN, J.C., y L.H. KARSTAD (1972). The toxicity for ducks of disintegrated lead shot in a simulated-marsh environment. *Journal of Wildlife Diseases* 8: 149-154.
- I.W.R.B. (1990). Lead poisoning in wild birds. *International Waterfowl and Wetlands Research Bureau*, Slimbridge, United Kingdom, pp. 1-20.
- JACOBSON, E., J.W. CARPENTER y M. NOVILLA (1977). Suspected lead toxicosis in a Bald Eagle. *Journal of the American Veterinary Medical Association* 171: 952-954.

JANSSEN, D.L., J.E. OOSTERHUIS, J.L. ALLEN, M.P. ANDERSON, D.G. KELTS y S.N. STANLEY (1986). Lead poisoning in freeranging California Condors. Journal of American Veterinarian Medical Association 189: 1115-1117.

JAPAN WILDLIFE RESEARCH CENTER (1992). Lead poisoning in waterfowl in Japan: Essential points in english. Pp. 1-8.

JENKINS, C. (1975). Étude de l'imprégnation plombique du pigeon biset *Columba livia* vivant en milieu urbain. Terre et Vie, 24: 465-480.

JOHNSON, W.L. y B.L. DAMRON (1982). Influence of lead acetate or lead shot ingestion upon white Chinese Geese. Bulletin of Environmental Contamination and Toxicology 29: 177-183.

JORDAN, J.S. y F.C. BELLROSE (1951). Lead poisoning in wild waterfowl. Illinois Natural History Survey Biological Notes 26: 1-27.

JORDAN, S.A. y M.K. BHATNAGAR (1990). Hepatic enzyme activity after combined administration of methylmercury, lead and cadmium in the Pekin Duck. Bulletin of Environmental Contamination and Toxicology 44: 623-628.

JORGENSEN, S.S. y M. WILLEMS (1987). The fate of lead in soils: The transformation of lead pellets in shooting-range soils. Ambio 16: 11-15.

KENNEDY, S., J.P. CRISLER, E. SMITH y M. BUSH (1977). Lead poisoning in sandhill cranes. Journal of the American Veterinary Medical Association 171: 955-958.

KEYMER, I.F. y R.S. STEBBINGS (1987). Lead poisoning in Partridge *Perdix perdix* after ingestion of gunshot. Veterinary Record 21: 276-277.

KOLLER, L.D. (1973). Immunosuppression produced by lead, cadmium, and mercury. American Journal of Veterinary Research 34: 1457-1458.

LABONDE, J. (1988). Pet avian toxicology. Proceedings of the Association of Avian Veterinarians, pp. 159-174.

LABONDE, J. (1991). Avian Toxicology. Veterinary Clinics of North America: Small Animal Practice 21: 1329-1342.

LANDRIGAN, P.J. (1990). Current issues in the epidemiology and toxicology of occupational exposure to lead. Environmental Health Perspectives 89: 61-66.

LANGELIER, K. (1991). Concern about lead shot for waterfowl hunting. Canadian Veterinary Journal 32: 67.

LANGELIER, K.M., C.E. ANDRESS, T.K. GREY, C. WOOLDRIDGE, R.J.

LEWIS y R. MARCHETTI (1991). Lead poisoning in bald eagles in British Columbia. Canadian Veterinary Journal 32: 108109.

LLORENTE, G. (1984). Contribución al conocimiento de la biología y ecología de cuatro especies de anátidas en el Delta del Ebro. Tesis Doctoral, Universitat de Barcelona.

LOCKE, L.N., G.E. BAGLEY, D.N. FRICKIE y L.T. YOUNG (1969). Lead poisoning and aspergillosis in an Andean Condor. Journal of the American Veterinary Medical Association 155: 1052-1056.

LOCKE, L.N. y M. FRIEND (1992). Lead poisoning of avian species other than waterfowl. En D.J. PAIN (Ed.): Lead poisoning in waterfowl, Proceedings IWRB workshop, Bruselas, Bélgica. 1991. IWRB Special Publication N^o 16. Slimbridge, Reino Unido.

- LONGCORE, J.R., P.O. CORR y H.E. SPENCER (1982). Lead shot incidence in sediments and waterfowl gizzards from Merrymeeting Bay, Maine. *Wildlife Society Bulletin* 10: 3-10.
- LONGCORE, J.R., L.N. LOCKE, G.E. BAGLEY y R. ANDREWS (1974). Significance of lead residues in Mallard tissues. USDI Fish and Wildlife Service, Special Scientific Report No. 182, pp. 1-24.
- LUMEIJ, J.T. (1985). Clinicopathologic aspects of lead poisoning in birds: a review. *The Veterinary Quarterly* 7: 133-138.
- MANAHAN, S.E. (1989). *Toxicological Chemistry: A Guide to Toxic Substances in Chemistry*. Lewis Publishers, Chelsea, USA.
- MANNINEN, S. y N. TANSAKANEN (1993). Transfer of lead from Shotgun pellets to humus and three plant species in a finnish shooting range. *Archives of Environmental Contamination and Toxicology* 24: 410-414.
- MARTIN, S.W., A.H. MEEK y P. WILLEBERG (1987). *Veterinary epidemiology. Principles and methods*. Iowa State University Press. Ames.
- MARTÍNEZ-VILALTA, A. (1989). Cens d'aus aquàtiques del delta de l'Ebre, 9-13 de gener de 1989. *Butlletí del Parc Natural del Delta de l'Ebre* 4: 22-25.
- MATEO, R., CERRADELO, S. y R. GUITART (1991). El plumbisme en aus del delta de l'Ebre i zones properes. *Butlletí del Parc Natural del Delta de l'Ebre* 6: 10-13.
- MATEO, R., J. ESTRADA, X. RIERA., A. MARTÍNEZ-VILALTA y R. GUITART (1994). Exposició del Aguilucho Lagunero Circa *aeruginosus* a los perdigones de plomo en el delta de l'Ebre. VI Congreso de Rapaces Mediterràneas, Palma de Mallorca.
- MAUTINO, M. (1990). Avian lead intoxication. *Proceedings of the Association of Avian Veterinarians*, Phoenix, Arizona. Pp. 245-247.
- MAUTINO, M. y J.U. BELL (1987). Hematological evaluation of lead intoxication in Mallards. *Bulletin of Environmental Contamination and Toxicology* 38: 78-85.
- MAUVAIS, G. y L. PINAULT (1993). Le saturnisme des anatidés (Anatidae) sur le site du Lac de Grand-Lieu (Loire Atlantique). *Gibier Faune Sauvage* 10:85-101.
- McEWEN, L. C., C. J. STAFFORD y G. L. HENSLER (1984). Organochlorine residues in eggs of Black-crowned Night-herons from Colorado and Wyoming. *Environmental Toxicology and Chemistry* 3: 367376.
- McDONALD, L. (1986). Suspected lead poisoning in an Amazon Parrot. *Canadian Veterinary Journal* 27: 131-134.
- MERCHANT, M.E., S.S. SHUKLA y H.A. AKERS (1991). Lead concentrations in wing bones of the Mottled Duck. *Environmental Toxicology and Chemistry* 10: 1503-1507.
- MILLER, G.D., T.F. MASSARO y E.J. MASSARO (1990). Interactions between lead and essential elements: A review. *Neurotoxicology* 11: 99-120.
- MONTALBANO, F. y T. C. HINES (1978). An improved X-ray technique for investigating ingestion of lead by waterfowl. *Southeastern Association of Fish and Wildlife Agencies Annual Conference Proceedings* 32: 364-368.
- MONVAL, J. y J.Y. PIROT (1989). Results of the IWRB International Waterfowl Census 1967-1986. IWRB Special Publication N^o 8, Slimbridge.

- MORGAN, G.W. F.W. EDENS, P. THAXTON y C.R. PARKHURST (1975). Toxicity of dietary lead in Japanese Quail. *Poultry Science* 54: 1636-1642.
- MOULTON D.W., C.D. PRENTRESS, C.D. STUTZENBAKER, D.S. LOBPRIES y W. C. BROWNLEE (1988). Ingestion of shotshell pellets by waterfowl wintering in Texas. *En M.W. WELLER (Ed.): Waterfowl in winter*. University of Minnesota Press, Minneapolis.
- MUDGE, G.P. (1983). The incidence and significance of ingested lead pellet poisoning in British wildfowl. *Biological Conservation* 27: 333-372.
- MUDGE, G.P. (1984). Densities and settlement rates of spent shotgun pellets in british wetland soils. *Environmental Pollution* 8: 299-318.
- MUDGE, G.P. (1992). Options for alleviating lead poisoning: a review and assesment of alternativas to the use of nontoxic shot. *En D.J. PAIN (Ed.): Lead poisoning in waterfowl, Proceedings IWRB workshop, Bruselas, Bélgica. 1991. IWRB Special Publication No 16. Slimbridge, Reino Unido.*
- MUNOZ, R.V., C.S. HACKER y T.F. GESELL (1976). Environmentally acquired lead in the Laughing Gull, *Larus atricilla*. *Journal of Wildlife Diseases* 12: 139-142.
- NELSON, D. (1965). Lead shot, itls settlement, oxidation, and general availability to waterfowl. Utah Cooperative Wildlife Research Unit, Utah State University, Logan, Utah, Special Report, 13.
- NELSON, B.W. y L.K. FINK (1980). Geological and botanical features of sand beach systems in Maine. Maine State Planning Office. Maine Sea Grant Publications Bulletin 14: 1-163.
- NILSSON, U., R. ATTEWELL, J.O. CHRISTOFFERSSON, A. SCHÜTZ, L.AHLGREN, S. SKERFVING y S. MATTSSON (1991). Kinetics of lead in bone and blood after end of occupational exposure. *Pharmacology and Toxicology* 68: 477-484.
- NORMAN, F.I., J.S. GARNHAM y K.W. LOWE (1993). Futher notes on lead concentrations in tissues of waterfowl in Victoria. *Wildlife Research* 20: 621-624.
- OBERHUBER, T. y M.F. ARÉVALO (1991). Monografías de Caza 1: Envenenamiento de aves por perdigones de plomo. ICONA-CODA, Madrid.
- OCHIAI, K., K. JIN, C. ITAKURA, M. GORYO, K. YAMASHITA, N. MIZUNO, T. FUJINAGA y T. TSUZUKI (1992). Pathological study of lead poisoning in Whooper Swans *Cygnus cygnus* in Japan. *Avian Diseases* 36: 313-323.
- OCHIAI, K., K. HOSHIKO, K. JIN, T. TSUZUKI y C. ITAKURA (1993). A survey of lead poisoning in waterfowl in Japan. *Journal of Wildlife Diseases* 29: 349-352.
- OCHIAI, K., K. JIN, M. GORYO, T. TSUZUKI y C. ITAKURA (1993). Pathomorfologic findings of lead poisoning in White-fronted Geese *Anser albifrons*. *Veterinary Pathology* 30: 522-528.
- OHI, G., H. SEKI, K. AKIHAMA y H. YAGU (1974). The Pigeon, a sensor of air pollution. *Bulletin of Environmental Contamination and Toxicology* 12: 92-98.
- OIHALLORAN, J., P.F. DUGGAN y A.A. MYERS (1988). Biochemical and hematological values for Mute Swans *Cygnus olor*: Effects of acute lead poisoning. *Avian Pathology*, 17: 667-678.
- OIHALLORAN, A.A. MYERS y P.F. DUGGAN (1989). Some sub-lethal effects of lead on Mute Swans *Cygnus olor*. *Journal of Zoology, London* 218: 627-632.
- OSMER, T.L.G. (1940). Lead shot: Its danger to waterfowl. *Science Monthly* SO: 455-459.
- PAIN, D.J. (1989a). Lead poisoning of waterfowl: a review. *IWRB Symposium on Managing Waterfowl Populations, Astrakhan*, pp. 172-181.

- PAIN, D.J. (1989b). Haematological parameters as predictors of blood lead and indicators of lead poisoning in the Black Duck *Anas rubripes*. *Environmental Pollution* 60: 67-81.
- PAIN, D.J. (1990). Lead shot ingestion by waterbirds in the Camargue, France: an investigation of levels and interspecific differences. *Environmental Pollution* 66: 273-285.
- PAIN, D.J. (1991a). Lead shot densities and settlement rates in Camargue marshes, France. *Biological Conservation* 57: 273-286.
- PAIN, D.J. (1991b). L'intoxication saturnine de l'avifaune: Une synthèse des travaux français. *Gibier Faune Sauvage* 8: 79-92.
- PAIN, D.J. (1991c). Why are lead-poisoned waterfowl rarely seen?: The disappearance of waterfowl carcasses in the Camargue, France. *Wildfowl* 42: 118-122.
- PAIN, D.J. (1991d). Lead poisoning in birds: An international perspective. *Acta XX Congressus Internationalis Ornithologici*, pp. 2343-2352.
- PAIN D.J. (1992) Lead poisoning of waterfowl: A review. *Environ Biol Fish* 31: 1-10.
- PAIN (Ed.): Lead poisoning in waterfowl, Proceedings IWRB workshop, Bruselas, Bélgica. 1991. IWRB Special Publication N^o 16. Slimbridge, Reino Unido.
- PAIN, D.J. y C. AMIARD-TRIQUET (1993). Lead poisoning in raptors in France and elsewhere. *Ecotoxicology and Environmental Safety* 25: 183-192.
- PAIN, D.J., C. AMIARD-TRIQUET, C. BABOUX, G. BURNELEAU, L. EON y P. NICOLIAU-GUILLAUMET (1993). Lead poisoning in wild populations of Marsh Harrier *Circus aeruginosus* in the Camargue and Charente-Maritime, France. *Ibis* 135: 379-386.
- PAIN, D.J., C. AMIARD-TRIQUET y C. SYLVESTRE (1992). Tissue lead concentrations and shot ingestion in nine species of waterbirds from the Camargue (France). *Ecotoxicology and Environmental Safety* 24: 217-233.
- PAIN, D.J. y G.I. HANDRINOS (1990). The incidence of ingested lead shot in ducks of the Evros Delta, Greece. *Wildfowl* 41: 167-170.
- PAIN, D.J. y B.A. RATTNER (1988). Mortality and hematology associated with the ingestion of one number four lead shot in Black Ducks, *Anas rubripes*. *Bulletin of Environmental Contamination and Toxicology* 40: 159-164.
- PALMER, S.C. y P.R. EVANS (1991). Lead in an intertidal ecosystem (Lindisfarne). Joint Nature Conservation Committee report, No 24. 27 pp.
- PANIGRAHY, B., L.C. GRUMBLES y C.F. HALL (1979). Insecticide poisoning in Peafowls and lead poisoning in a cockatoo. *Avian Diseases* 23: 760-762.
- PATTEE, O.H., P.H. BLOOM, J.M. SCOTT y M.R. SMITH (1990). Lead hazards within the range of the California Condor. *The Condor* 92: 931-937.
- PATTEE, O.H. y S.K. HENNES (1983). Bald Eagles and waterfowl: the lead shot connection. 48th North American Wildlife Conference 1983. The Wildlife Management Institute, Washington, D.C.
- PATTEE, O.H., S.N. WIEMEYER, B.M. MULHERN, L. SILEO y J.W.
- CARPENTER (1981). Experimental lead-shot poisoning in Bald Eagles. *Journal of Wildlife Management* 45: 806-810. PIROT J.Y. y J.P. TARIS (1987). Le saturnisme des anatides hivernant en Camargue: réactualisation des données. *Gibier Faune Sauvage* 4: 83-94.

- PLATT, J.B. (1976). Bald Eagles wintering in the Utah desert. *American Birds* 30: 783-788.
- POKRAS, M.A. y R. CHAFEL (1992). Lead toxicosis from ingested fishing sinkers in adult Common Loons *Gavia immer* in New England. *Journal of Zoo and Wildlife Medicine* 23: 92-97.
- RABINOWITZ, M.B. (1991). Toxicokinetics of bone lead. *Environmental Health Perspectives* 91: 33-37.
- RAMADE, F. (1979). *Écotoxicologie*. Masson, París.
- RAMO, C. C. SÁNCHEZ y L. HERNÁNDEZ SAINT-AUBIN (1992). Lead poisoning of Greater Flamingos *Phoenicopterus ruber*. *Wildfowl* 43.
- RATCLIFFE, D.A. (1970). Changes attributable to pesticides in egg breakage frequency and eggshell thickness in some British birds. *Journal of Applied Ecology* 7: 67-115.
- REDIG, P. C.M. STOWE, D.M. BARNES y T.D. ARENT (1980). Lead toxicosis in raptors. *Journal of American Veterinarian Association* 177: 941-943.
- REDIG, P.T. (1987). *Medical Management of Birds of Prey*. The Raptor Center, University of Minnesota, St. Paul.
- REDIG, P.T., E.M. LAWLER, S. SCHWARTZ, J.L. DUNNETTE, B. STEPHENSON y G. E. DUKE (1991). Effects of chronic exposure to sublethal concentrations of lead acetate on heme synthesis and immune function in red-tailed hawks. *Archives of Environmental Contamination and Toxicology* 21: 72-77.
- REICHEL, W.L., S.K. SCHMELING, E. CROMARTIE, T.E. KAISER, A.J. KRYNITSKY, T.G., LSMONT, B.M. MULHERN, R.M. PROUTY, D.J. STAFFORT y D.M. SWINEFORD (1984). Pesticide, PCB and lead residues and necropsy data from bald eagles for 32 states -1978-81. *Environmental Monitoring Assessment* 4: 395-403.
- REISER, M.H. y S.A. TEMPLE (1981). Effects of chronic lead ingestion on birds of prey. En J.E. COOPER y A.G. GREENWOOD (Eds.): *Recent Advances in the Study of Raptor Diseases*. Chiron Publications, Keighley, pp. 21-25.
- ROCKE, T.E. y M.D. SAMUEL (1991). Effects of lead shot ingestion on selected cells of the mallard immune system. *Journal of Wildlife Diseases* 27: 1-9.
- ROSCOE D.E., S.W. NIELSEN, H.D. EATON y J.E. ROUSSEAU (1975). Chronic plumbism in Rabbits: A comparison of three diagnostic tests. *American Journal of Veterinary Research* 36: 1225-1229.
- ROSSKOPF, W.J. y R.W. WOERPEL (1982). Lead poisoning in a Cockatiel. *Modern Veterinary Practice* 63: 46-48.
- ROZMAN, R.S., L.N. LOCKE y S.F. McCLURE (1974). Enzyme changes in mallard ducks fed iron or lead shot. *Avian Diseases* 18: 435-445.
- SHANSHIN T., J.J. DELFINO y H.-T. ODUM (1993). Wetland retention of lead from hazardous waste site. *Bulletin of Environmental Contamination and Toxicology* 51: 430-437.
- SALTZMAN, B.E., S.B. GROSS, D.W. YEAGER, B.G. MEINERS y P.S.
- GARTSIDE (1990). Total body burdens and tissue concentrations of lead, cadmium, copper, zinc, and ash in 55 human cadavers. *Environmental Research* 52: 126-145. SAMUEL M.D., E.F. BOWERS y J.C. FRANSON (1992). Lead exposure and recovery rates of Black Ducks banded in Tennessee. *Journal of Wildlife Diseases* 28: 555-561.
- SÁNCHEZ, M. J. y A. MORAL (1991). El Parque Nacional de las Tablas de Daimiel. En J.A.

GONZÁLEZ y A. VAZQUEZ (Coord.) : Gula de Castilla-La Mancha. Junta de Comunidades de Castilla-La Mancha.

SANDERSON, G.C. y F.C. BELROSE (1986). A review of the problem of lead poisoning in waterfowl. Illinois Natural History Survey Special Publication 4:34pp.

SASSAROLI, M., R. DACOSTA, H. VÁÁNÁNEN y J. EISINGER (1992). Distribution of non-heme porphyrin content of individual erythrocytes by fluorescence image cytometry and its application to lead poisoning. Cytometry 13: 339-345.

SCHEUHAMMER, A.M. (1989). Monitoring wild bird populations for lead exposure. Journal of Wildlife Management 53: 759-765.

SCHEUHAMMER, A.M. (1991). Effects of acidification on the availability of toxic metals and calcium to wild birds and mammals. Environmental Pollution 71: 329-375.

SCHMITZ, R.A., A.A. AGUIRRE, R.S. COOK y G.A. BALDASSARRE (1990). Lead poisoning of Caribbean Flamingos in Yucatan, Mexico. Wildlife Society Bulletin 18: 399-404.

SEARS, J. (1988). Regional and seasonal variations in lead poisoning in the Mute Swan *Cygnus olor* in relation to the distribution of lead and lead weights in the Thames area, England. Biological Conservation 46: 115-134.

SIMPSON, V.R., HUNT, A.E. y M.C. FRENCH (1979). Chronic lead poisoning in a herd of Mute Swans. Environmental Pollution 18: 187-202.

SOWDEN, P. (1988). Lead poisoning in waterfowl. Wildlife Veterinary Report 1: 4-5.

STENDELL, R.C., R.I. SMITH, K.P. BURNHAM y R.E. CHRISTENSEN (1979). Exposure of waterfowl to lead: a nationwide survey of residues in wing bones of seven species, 1972-73. U.S.F.W.S. Spec. Sci. Rep. Wildl. 233: 12pp.

STOUT, I.J. y G.W. CORNWELL (1976). Non-hunting mortality of fledged North American waterfowl. The Journal of Wildlife Management 40: 681-693.

SZYMCZAK, M.R. y W.J. ADRIAN (1978). Lead poisoning in Canada Geese in Southeast Colorado. Journal of Wildlife Management 42: 299-306.

TARIS, J.P. y Y. BRESSAC-VAQUER (1987). Oiseaux migrateurs transcontinentaux: cas particulier de la Barge á queue noir, *Limosa limosa* (L.), en Camargue. Revista O.N.C.

THOMAS, G.J. (1975). Ingested lead pellets in waterfowl at the Ouse Washes, England, 1968-73. Wildfowl 26: 43-48.

THOMAS, G.J., M. OWEN y P. RICHARDS (1977). Grit in waterfowl at the Ouse Washes, England. Wildfowl 28: 136-138.

TIRELLI, E. (1992). Metalli pesanti (Zn, Cu, Cd, Pb) in alcune specie selvatiche di Anseriformes. Tesi di Laurea. Università degli Studi di Bologna.

TRAINER, D.O. y R.A. HUNT (1965). Lead poisoning of whistling Swans in Wisconsin. Avian Diseases 9: 252-264.

TROST, R.E. (1980). Dynamics of grit selection and retention in captive Mallards. Journal of Wildlife Management 45: 64-73. TROYA, A. y M. BERNUÉS (1990). Censo de aves acuáticas invernantes. Enero 1989. Icona. Madrid.

TRUST, K.A., M.W. MILLER, J.K. RINGELMAN, y I.M. ORME (1990). Effects of ingested lead on

antibody production in Mallards *Anas platyrhynchos*. Journal of Wildlife Diseases 26: 316322.

THRUSFIELD, M. (1984). Epidemiología Veterinaria. Ed. Acribia. Zaragoza

U.S. FISH AND WILDLIFE SERVICE (1986). Final supplemental environmental impact statement on the use of lead shot for hunting migratory birds in the United States. U.S. Fish and Wildlife Service, Washington, D.C.

U.S. FISH AND WILDLIFE SERVICE (1990). Lead poisoning in waterfowl. *U.S. Fish and Wildlife Service*, Washington, D.C., pp. 1-15.

VALLE, A. (1993) Ingestión de perdigones en las aves acuáticas. Escuela Técnica Superior de Ingenieros de Montes. Madrid.

WHYTE, R.J. y E.G. BOLEN (1984). Variation in winter fat depots and condition indices of Mallards. *Journal of Wildlife Management* 48: 1370-1373.

WHITE, D.H. y R.C. STENDELL (1977). Waterfowl exposure to lead and steel shot on selected hunting areas. *Journal of Wildlife Management* 41: 469-475.

WHITEHEAD, P.J. y K. TSCHIRNER (1991). Lead shot ingestion and lead poisoning of Magpie Geese *Anseranas semipalmata* foraging in a Northern Australian hunting reserve. *Biological Conservation* 58: 99-118.

WICKSON, R.J., F.I. NORMAN, G.J. BACHER y J.S. GARNHAM (1992). Concentrations of lead in bone and other tissues of Victorian waterfowl. *Wildlife Research* 19: 221-232.

WIEMEYER, S.N., J.M. SCOTT, M.P. ANDERSON, P.H. BLOOM y C.J. TAFFORD (1988). Environmental contaminants in California Condors. *Journal of Wildlife Management* 52: 238-247.

WINSHIP, K.A. (1989). Toxicity of lead: A review. *Adverse Drug Reaction: Acute poisoning Review* 8: 117-152.

WOERPEL, R.W. y W.J. ROSSKOPF Jr. (1982a). Heavy-metal intoxication in caged birds - Part I. *The Compendium of Continuing Education* 4: 184-190.

WOERPEL, R.W. y W.J. ROSSKOPF Jr. (1982b). Heavy-metal intoxication in caged birds - Part II. *The Compendium of Continuing Education* 4: 191-196.

WOLFF, E.W. (1990). Signals of atmospheric pollution in polar snow and ice. *Antarctic Science* 2: 189-205.

WORLD HEALTH ORGANIZATION (1989). Environmental Health Criteria 85: Lead - Environmental Aspects. World Health organization, Geneva.

YAMAMOTO, K., M. HAYASHI, M. YOSHIMURA, H. HAYASHI, A. HIRATSUKA y Y. ISII (1993). The prevalence and retention of lead pellets in Japanese Quail. *Archives of Environmental Contamination and Toxicology* 24: 478-482.

ZOOK, B.C., R.M. SAUER y F.M. GARNER (1972). Lead poisoning in captive wild animals. *Journal of Wildlife Diseases* 8: 264-272.