


Bupleurum handiense

1. National level


Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

Beltrán E., Wildpret W., León C., García A. & A. Reyes (1999). Libro Rojo de la Flora Canaria contenida en la Directiva-Hábitats Europea. Ministerio de Medio Ambiente. 694 pp.

SEGA 2003. Seguimiento de poblaciones de especies amenazadas. Informe no publicado. Gesplan.

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 200

2.3.2 Date of range determination: 2003

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Increasing (+)

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period: 1983-2003

Bupleurum handiense

2.3.7 Reasons for reported trend:	Improved knowledge/more accurate data	
and/or specify		
2.4 Population of the species in the biogeographic region or marine region		
2.4.1 Population size estimation:		
Population size estimation (minimum)	Population size estimation (maximum)	Population units
1800	0	Number of individuals
2.4.2 Date of population estimation:	2003	
2.4.3 Methods used for population estimation:	From comprehensive inventory Extrapolation from surveys of part of the population or from sampling	
2.4.4 Quality of data on area:	Moderate e.g. based on partial data with some extrapolation	
2.4.5 Population trend:	Unknown (X)	
2.4.6 Population trend magnitude (km2):		
2.4.7 Population trend period:		
2.4.8 Reasons for reported trend:	Unknown	
and/or specify:		
2.4.9 Justification of % thresholds for trends (optional):		
2.4.10 Main pressures:	965 - predation	
2.4.11 Threats	965 - predation	
2,5 Habitat for the species in the biogeographic region or marine region		
2.5.1 Habitats for the species:	Se comporta como una especie de carácter rupícola, probablemente relegada a e	
2.5.2 Area estimation (km2):	175	
2.5.3 Date of estimation:	2007	
2.5.4 Quality of the data:	Moderate e.g. based on partial data with some extrapolation	
2.5.5 Trend of the habitat:	Stable (=)	
2.5.6 Trend period:	1983-2003	
2.5.7 Reasons for reported trend:	NaturalProcesses	
Other (specify):		
2.6 Future prospects for the species:	Good prospects - species expected to survive and prosper	
2.7 Complementary information		
2.7.1 Favourable reference range (km2):		Less than
2.7.2 Favourable reference population:		Less than
2.7.3 Suitable habitat for the species (km2):	75	
2.7.4 Other relevant information (optional):	Es una planta localmente frecuente que se reproduce bien por semillas, observán	
Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Inadequate (U1)	
Conclusions: (2.4) Population:	Inadequate (U1)	
Conclusions: (2.5) Habitat for the species:	Inadequate but improving (U1+)	
Conclusions: (2.6) Future prospects:	Inadequate (U1)	
Conclusions: Overall assessment:	Inadequate (U1)	