


2210 Crucianellion maritimae fixed beach dunes

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MED**



map-distribution

2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

Vigo, J.; Carreras, J. & Ferré, A. (eds.). Manual dels Hàbitats de Catalunya: catàleg dels hàbitats naturals reconeguts en el territori català d'acord amb els criteris establerts pel CORINE biotopes manual de la Unió Europea. Vols I a VII. Departament de Medi Ambient i Habitatge. Generalitat de Catalunya. 2005-2008.

Bartolomé, C., J. Álvarez, J. Vaquero, M. Costa, M.A. Casermeiro, J. Giraldo & J. Zamora (2005). Los tipos de hábitat de interés comunitario de España. Guía básica. Dirección General para la Biodiversidad, Ministerio de Medio Ambiente.

Ministerio de Medio Ambiente. (2003). Atlas y manual de los hábitat de España. Dirección General de Conservación de la Naturaleza, Ministerio de Medio Ambiente.

Llorens, L. (2004) Cartografia 1:5000 dels hàbitats del Parc de s'Albufera (Mallorca)

Llorens, L., Gil, L. (2004) Cartografía 1:5000 dels hàbitats de s'Albufereta (Mallorca)

Llorens, L., Gil, L. & Cardona, C. (2004) Cartografía dels hàbitats del Parc de s'Albufera des Grau (Menorca)

Llorens, L. (2005) Cartografía dels Hàbitats del Parc de les salines d'Eivissa i Formentera

Llorens, L. (2005) Cartografía de les dunes de Sa Ràpita, Trenc i salobrar de Campos

Gil, L. & Llorens, L. (2004). Análisis biogeográfico de la flora de Formentera (Islas Baleares, España). Lazaroa 25: 169-178.

Llorens, L., Gil, L. (2004) Atlas de los Hábitats Naturales y Seminaturales de España a Escala 1:50.000. (Baleares). TRAGSA

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area of range in km²: 3306,9

2.3.2 Date of range determination: 1995-2006

2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation

2.3.4 Range trend: Decreasing (-)

2210 Crucianellion maritimae fixed beach dunes

2.3.5 Range trend magnitude in km² (optional):

2.3.6 Range trend period: 1990-2006

2.3.7 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)
Natural processes

and/or specify

En el caso de la Comunidad Valenciana, la tendencia del rango se considera descendente debido a que el área actual estimada para el hábitat representa sólo el 4% de la superficie que ocupan los sustratos yesíferos en España.

2.4 Area covered by habitat type in the biogeographical region or marine region

2.4.1 Surface area of the habitat type (km²): 6,48

2.4.2 Date of area estimation: 1995-2006

2.4.3 Method used for area estimation: Ground based survey (based on field mapping, possibly using stratified random sa

2.4.4 Quality of data on area: Moderate e.g. based on partial data with some extrapolation

2.4.5 Area trend: Decreasing (-)

2.4.6 Area trend magnitude (km²): 0

2.4.7 Area trend period: 1990-2006

2.4.8 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)
Natural processes

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

- 300 - Sand and gravel extraction
- 403 - dispersed habitation
- 423 - disposal of inert materials
- 490 - Other urbanisation, industrial and similar activities
- 501 - paths, tracks, cycling tracks
- 511 - electricity lines
- 608 - camping and caravans
- 620 - Outdoor sports and leisure activities
- 622 - walking, horseriding and non-motorised vehicles
- 623 - motorised vehicles
- 720 - Trampling, overuse
- 860 - Dumping, depositing of dredged deposits
- 870 - Dykes, embankments, artificial beaches, general
- 954 - invasion by a species
- 973 - introduction of disease

2.4.11 Threats

- 300 - Sand and gravel extraction
- 403 - dispersed habitation
- 423 - disposal of inert materials
- 490 - Other urbanisation, industrial and similar activities
- 501 - paths, tracks, cycling tracks
- 511 - electricity lines
- 608 - camping and caravans
- 620 - Outdoor sports and leisure activities
- 622 - walking, horseriding and non-motorised vehicles
- 623 - motorised vehicles
- 720 - Trampling, overuse
- 860 - Dumping, depositing of dredged deposits
- 870 - Dykes, embankments, artificial beaches, general
- 954 - invasion by a species

2210 Crucianellion maritimae fixed beach dunes

973 - introduction of disease

2.5 Complementary information

2.5.1 Favourable reference range (km2):	0
2.5.2 Favourable reference area (km2):	0
2.5.3 Typical Species:	<i>Alphasida depressa</i> , <i>Brachycerus</i> sp, <i>Crucianella maritima</i> , <i>Ephedra distachya</i> , <i>Euphorbia terracina</i> , <i>Fumana laevis</i> , <i>Helichrysum stoechas</i> , <i>Isocerus balaericus</i> , <i>Lotus cytisoides</i> , <i>Myrmeleon formicarius</i> , <i>Ononis crispa</i> , <i>Ononis natrix</i> subsp. <i>ramosissima</i> , <i>Ononis ramosissima</i> , <i>Pancratium maritimum</i> , <i>Pimelia criba</i> , <i>Scabiosa maritima</i> , <i>Scrophularia ramosissima</i> , <i>Silene nicaeensis</i> , <i>Stenosis intricata</i> , <i>Tentyria schaumii</i> , <i>Teucrium polium</i> subsp. <i>Dunense</i> , <i>Xerocrassa caroli</i>
2.5.4 Typical species assessment:	Sin Evaluar
2.5.5 Other relevant information (optional):	Especies aportadas por Cataluña: Especies seleccionadas a partir del “Manual de l

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Area:	Unknown (XX)	
Conclusions: (2.5) Structure and function, including typical species:	Unknown (XX)	
Conclusions: Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	