

# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)


## Crocidura canariensis

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

[http://www.mma.es/secciones/biodiversidad/especies\\_amenazadas/catálogo\\_especies/vertebrados\\_mamiferos/pdf/ver393.pdf](http://www.mma.es/secciones/biodiversidad/especies_amenazadas/catálogo_especies/vertebrados_mamiferos/pdf/ver393.pdf)

SCHUSTER, C. & R. VICENTE MAZARIEGOS (2002). Diagnóstico y control biológico del Parque Nacional de Timanfaya

CONCEPCIÓN, D. (2002). Distribución, estado de conservación y propuesta de gestión de nueve especies de vertebrados en la Isla de Lanzarote y sus islotes. Informe no publicado, Gesplan S.A.

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 4100

2.3.2 Date of range determination: 2002

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Stable (=)

2.3.5 Range trend magnitude in km2 (optional):

# Crocidura canariensis

2.3.6 Range trend period:1980-2002

2.3.7 Reasons for reported trend:Natural processes

and/or specify

## 2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)

Population size estimation (maximum)

Population units

0

0

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area:

2.4.5 Population trend:Stable (=)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:1980-2002

2.4.8 Reasons for reported trend:Unknown

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:400 Urbanised areas, human habitation

966 - antagonism arising from introduction of species

2.4.11 Threats400 Urbanised areas, human habitation

966 - antagonism arising from introduction of species

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:Llanuras semidesérticas y campos de lava con escasa vegetación. También ocupa

2.5.2 Area estimation (km2):1175

2.5.3 Date of estimation:2002

2.5.4 Quality of the data:Moderate e.g. based on partial data with some extrapolation

2.5.5 Trend of the habitat:Stable (=)

2.5.6 Trend period:

2.5.7 Reasons for reported trend:Unknown

Other (specify):

2.6 Future prospects for the species:Good prospects - species expected to survive and prosper

## 2.7 Complementary information

2.7.1 Favourable reference range (km2):Less than

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):525

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Inadequate but improving (U1+)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Favourable (FV)	
Conclusions: (2.6) Future prospects:	Inadequate but improving (U1+)	

**Crocidura canariensis**

Conclusions: Overall assessment:

Inadequate but improving (U1+)