


Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Dermochelys coriacea

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MATL MMAC MMED**

map-distribution



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ATLANTIC OCEAN**

2.2 Published sources and/or websites:

Pleguezuelos, J.M. et al. (Eds.) (2002). Atlas y Libro Rojo de los Anfibios y Reptiles de España. DGCN-AHE. Madrid, 585

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 12880,33
- 2.3.2 Date of range determination: 2007
- 2.3.3 Quality of data concerning range: Good e.g based on extensive surveys
- 2.3.4 Range trend: Stable (=)
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period: 1995-2007
- 2.3.7 Reasons for reported trend:
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
129	129	Number of localities

- 2.4.2 Date of population estimation: 2007
- 2.4.3 Methods used for population estimation: From comprehensive inventory
- 2.4.4 Quality of data on area: Good e.g based on extensive surveys
- 2.4.5 Population trend: Stable (=)
- 2.4.6 Population trend magnitude (km2):
- 2.4.7 Population trend period: 1995-2007
- 2.4.8 Reasons for reported trend:
and/or specify:

Dermochelys coriacea

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 210 Professional fishing
701 - water pollution

2.4.11 Threats 210 Professional fishing
701 - water pollution

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Aguas marinas.

2.5.2 Area estimation (km2):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat:

2.5.6 Trend period:

2.5.7 Reasons for reported trend: NotApplicable

Other (specify):

2.6 Future prospects for the species:

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: MACARONESIAN/ATLANTIC OCEAN

2.2 Published sources and/or websites:

http://www.mma.es/portal/secciones/biodiversidad/inventarios/inb/anfibios_reptiles/pdf/tort_5.pdf

López-Jurado, L.F. (1992): Synopsis of the canarian herpetofauna. Rev.Esp.Herp. 6:107-118.

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 0

2.3.2 Date of range determination:

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Stable (=)

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period: 1980-2002

2.3.7 Reasons for reported trend: Unknown

and/or specify

Dermochelys coriacea

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
0	0	

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area: Poor e.g. based on very incomplete data or on expert judgement

2.4.5 Population trend:

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend: Unknown
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 200 Fish and Shellfish Aquaculture
401 - continuous urbanisation
701 - water pollution
910 Silting up

2.4.11 Threats 200 Fish and Shellfish Aquaculture
401 - continuous urbanisation
701 - water pollution
910 Silting up

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Especie de hábitos oceánicos y aguas abiertas, donde se alimenta de invertebrad

2.5.2 Area estimation (km2):

2.5.3 Date of estimation: 2002

2.5.4 Quality of the data: Poor e.g. based on very incomplete data or on expert judgement

2.5.5 Trend of the habitat: Stable (=)

2.5.6 Trend period: 1980-2002

2.5.7 Reasons for reported trend: NotApplicable

Other (specify):

2.6 Future prospects for the species: Unknown

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Inadequate but improving (U1+)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	

Dermochelys coriacea

Conclusions: Overall assessment: Unknown (XX)

2.1 Biogeographical region or marine region: MEDITERRANEAN SEA

2.2 Published sources and/or websites:

Llorente, G., Montori, A., Santos, X., Carretero, M.A. Atlas dels amfibis i rèptils de Catalunya i Andorra. Departament de Biologia Animal

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 400
- 2.3.2 Date of range determination: 1995
- 2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation
- 2.3.4 Range trend:
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period:
- 2.3.7 Reasons for reported trend: Not applicable
and/or specify

2.4 Population of the species in the biogeographic region or marine region

- 2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
4	4	Number of localities
- 2.4.2 Date of population estimation:
- 2.4.3 Methods used for population estimation:
- 2.4.4 Quality of data on area:
- 2.4.5 Population trend:
- 2.4.6 Population trend magnitude (km2):
- 2.4.7 Population trend period:
- 2.4.8 Reasons for reported trend: Not applicable
and/or specify:
- 2.4.9 Justification of % thresholds for trends (optional):
- 2.4.10 Main pressures:
- 2.4.11 Threats

2,5 Habitat for the species in the biogeographic region or marine region

- 2.5.1 Habitats for the species:
- 2.5.2 Area estimation (km2):
- 2.5.3 Date of estimation:
- 2.5.4 Quality of the data:
- 2.5.5 Trend of the habitat:
- 2.5.6 Trend period:
- 2.5.7 Reasons for reported trend: NotApplicable
- Other (specify):

2.6 Future prospects for the species:

2.7 Complementary information

- 2.7.1 Favourable reference range (km2):

Dermochelys coriacea

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	