

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Globularia sarcophylla

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

Beltrán E., Wildpret W., León C., García A. & A. Reyes (1999). Libro Rojo de la Flora Canaria contenida en la Directiva-Hábitats Europea. Ministerio de Medio Ambiente. 694 pp.

Bañares A., Blanca G., Güemes J., Moreno J.C. & Ortiz S., eds. (2003). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Dirección General de Conservación de la Naturaleza. Madrid. 1072 pp.

http://www.mma.es/porta/cciones/biodiversidad/inventarios/inb/flora_vascular/pdf/653.pdf

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 100

2.3.2 Date of range determination: 2003

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Stable (=)

Globularia sarcophylla

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period: 1994-2003

2.3.7 Reasons for reported trend: Improved knowledge/more accurate data
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
93		Number of localities

2.4.2 Date of population estimation: 2003

2.4.3 Methods used for population estimation: From comprehensive inventory

2.4.4 Quality of data on area: Good e.g based on extensive surveys

2.4.5 Population trend: Stable (=)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period: 1994-2003

2.4.8 Reasons for reported trend: Natural processes
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures: 943 - collapse of terrain, landslide
990 Other natural processes

2.4.11 Threats 990 Other natural processes

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: La especie se localiza con preferencia en paredones verticales secos, entre 1500

2.5.2 Area estimation (km2): 25

2.5.3 Date of estimation: 2007

2.5.4 Quality of the data: Moderate e.g. based on partial data with some extrapolation

2.5.5 Trend of the habitat: Stable (=)

2.5.6 Trend period: 1970-2006

2.5.7 Reasons for reported trend: NaturalProcesses

Other (specify):

2.6 Future prospects for the species: Unknown

2.7 Complementary information

2.7.1 Favourable reference range (km2): Less than

2.7.2 Favourable reference population: More than

2.7.3 Suitable habitat for the species (km2): 25

2.7.4 Other relevant information (optional): La mayor amenaza para esta especie lo constituye su restringida estrategia repro

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Bad (U2)	
Conclusions: (2.4) Population:	Bad (U2)	
Conclusions: (2.5) Habitat for the species:	Inadequate but improving (U1+)	
Conclusions: (2.6) Future prospects:	Bad (U2)	

Globularia sarcophylla

Conclusions: Overall assessment:

Bad (U2)