


# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## Helianthemum caput-felis

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MED**

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

Sin especificar

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 800

2.3.2 Date of range determination: 2002-2003

2.3.3 Quality of data concerning range:

2.3.4 Range trend: Decreasing (-)

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period: 1996-2006

2.3.7 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)

and/or specify

La destrucción es debida a construcción de paseos marítimos, urbanizaciones y otras estructuras viarias

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
20000	20000	Number of individuals

2.4.2 Date of population estimation: 2002

2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling

2.4.4 Quality of data on area: Moderate e.g. based on partial data with some extrapolation

2.4.5 Population trend: Decreasing (-)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period: 1995-2006

2.4.8 Reasons for reported trend: Direct human influence (restoration, deterioration, destruction)

# Helianthemum caput-felis

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):	La destrucción y desaparición de las poblaciones es debida a la destrucción del hábitat para construcción de paseos marítimos, urbanizaciones y otras
2.4.10 Main pressures:	250 Taking / Removal of flora, general 400 Urbanised areas, human habitation
2.4.11 Threats	402 - discontinuous urbanisation 500 Communication networks 502 - roads, motorways 509 - other communication networks

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	Matorrales y tomillares xéricos basófilos que colonizan terrenos calizos de gradad
2.5.2 Area estimation (km2):	13,34
2.5.3 Date of estimation:	2005
2.5.4 Quality of the data:	Moderate e.g. based on partial data with some extrapolation
2.5.5 Trend of the habitat:	Decreasing (-)
2.5.6 Trend period:	1995-2006
2.5.7 Reasons for reported trend:	DirectHuman
Other (specify):	La destrucción y desaparición de las poblaciones es debida a la destrucción del h

2.6 Future prospects for the species: Unknown

## 2.7 Complementary information

2.7.1 Favourable reference range (km2):	Less than
2.7.2 Favourable reference population:	Approximately equal to
2.7.3 Suitable habitat for the species (km2):	
2.7.4 Other relevant information (optional):	

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Bad and deteriorating (U2-)	
Conclusions: (2.4) Population:	Bad and deteriorating (U2-)	
Conclusions: (2.5) Habitat for the species:	Bad and deteriorating (U2-)	
Conclusions: (2.6) Future prospects:	Bad and deteriorating (U2-)	
Conclusions: Overall assessment:	Bad and deteriorating (U2-)	