


Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

Microtus cabreræ

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MED**

map-distribution



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

2.2 Published sources and/or websites:

López, M., Díaz, M., Carbonell, R., Bonal, R. 2006. Libro Rojo de los vertebrados de Castilla- La Mancha.

Fernández, R. y Gisbert, J. 1998. Distribución del hábitat y dinámica poblacional de la ratilla de cabrera (*Microtus cabreræ*) en Castilla- La Mancha. CSIF-Junta de Comunidades de Castilla-La Mancha, Toledo.

Landete, T., Andres, M., Argandeña, J.J., y Garde, J. 2000. Distribution of Cabrerae vole (*Microtus cabreræ*) in its firts reported areas reassessed by live trapping. Biological Conservation.

Velasco, J.C., Lizana, M., Román, J., Delibes, M. & Fernández, J. 2005. Guía de los peces, anfibios, reptiles y mamíferos de Castilla y León. Náyade Editorial. Medina del Campo (Valladolid).

Fernández-Salvador, R., 2002. *Microtus cabreræ* Thomas, 1906. Pp. 386-389. L. J. Palomo y J. Gisbert (eds). 2002. Atlas de los mamíferos terrestres de España. Dirección General de Conservación de la Naturaleza. SECEM-SECEMU, Madrid.

Estudio cuantitativo sobre la población de Desmán ibérico en el Valle del Ambroz y Topillo de cabrera en el norte de Extremadura. Informe inédito DGMA, Junta de Extremadura. 2004

Blanco J.C. 1998. Mamíferos de España. Ed Planeta. Barcelona

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 15775

2.3.2 Date of range determination: 2002-2005

2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation

2.3.4 Range trend: Unknown (X)

2.3.5 Range trend magnitude in km2 (optional):

2.3.6 Range trend period:

2.3.7 Reasons for reported trend:

and/or specify

2.4 Population of the species in the biogeographic region or marine region

Microtus cabrerae

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
--------------------------------------	--------------------------------------	------------------

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area:

2.4.5 Population trend: Unknown (X)

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

2.4.8 Reasons for reported trend:

and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

- 100 Cultivation
- 101 - modification of cultivation practices
- 110 Use of pesticides
- 140 Grazing
- 150 Restructuring agricultural land holding
- 180 Burning
- 190 Agriculture and forestry activities not referred to above
- 423 - disposal of inert materials
- 502 - roads, motorways
- 810 Drainage
- 811 - management of aquatic and bank vegetation for drainage purposes
- 965 - predation

2.4.11 Threats

- 100 Cultivation
 - 101 - modification of cultivation practices
- 110 Use of pesticides
- 140 Grazing
- 150 Restructuring agricultural land holding
- 180 Burning
- 190 Agriculture and forestry activities not referred to above
- 423 - disposal of inert materials
- 502 - roads, motorways
- 810 Drainage
 - 811 - management of aquatic and bank vegetation for drainage purposes
- 965 - predation

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Juncales y zonas encharcadizas

2.5.2 Area estimation (km²):

2.5.3 Date of estimation:

2.5.4 Quality of the data:

2.5.5 Trend of the habitat: Unknown (X)

2.5.6 Trend period:

2.5.7 Reasons for reported trend:

Other (specify):

2.6 Future prospects for the species: Unknown

Microtus cabreræ

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	