


## Gallotia simonyi

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

PLEGUEZUELOS J. M., R. MÁRQUEZ y M. LIZANA, (eds.) 2002. Atlas y Libro Rojo de los Anfibios y Reptiles de España. Dirección General de Conservación de la Naturaleza-Asociación Herpetologica Española (2ª impresión), Madrid, 587 pp.

[http://www.mma.es/portal/secciones/biodiversidad/inventarios/inb/anfibios\\_reptiles/pdf/reptil\\_27.pdf](http://www.mma.es/portal/secciones/biodiversidad/inventarios/inb/anfibios_reptiles/pdf/reptil_27.pdf)

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 300
  - 2.3.2 Date of range determination: 2001
  - 2.3.3 Quality of data concerning range:
  - 2.3.4 Range trend: Stable (=)
  - 2.3.5 Range trend magnitude in km2 (optional):
  - 2.3.6 Range trend period: 1980-2002
  - 2.3.7 Reasons for reported trend: Unknown
- and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
210	550	Number of individuals

- 2.4.2 Date of population estimation: 2001
- 2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling
- 2.4.4 Quality of data on area: Good e.g based on extensive surveys
- 2.4.5 Population trend: Stable (=)
- 2.4.6 Population trend magnitude (km2):
- 2.4.7 Population trend period: 1980-2002

# Gallotia simonyi

2.4.8 Reasons for reported trend: Natural processes  
and/or specify:

2.4.9 Justification of % thresholds for trends (optional):

2.4.10 Main pressures:

2.4.11 Threats

## 2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species: Formaciones vegetales del Piso Basal y Bosque Termófilo y con menos frecuencia  
2.5.2 Area estimation (km2): 400  
2.5.3 Date of estimation: 2007  
2.5.4 Quality of the data: Good e.g based on extensive surveys  
2.5.5 Trend of the habitat: Stable (=)  
2.5.6 Trend period: 1970-2006  
2.5.7 Reasons for reported trend: NaturalProcesses  
Other (specify):

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

## 2.7 Complementary information

2.7.1 Favourable reference range (km2): Less than  
2.7.2 Favourable reference population: Less than  
2.7.3 Suitable habitat for the species (km2): 75  
2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Inadequate but improving (U1+)	
Conclusions: (2.4) Population:	Inadequate but improving (U1+)	
Conclusions: (2.5) Habitat for the species:	Favourable (FV)	
Conclusions: (2.6) Future prospects:	Inadequate but improving (U1+)	
Conclusions: Overall assessment:	Inadequate but improving (U1+)	