


# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## Podarcis lilfordi

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MED**

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

#### 2.2 Published sources and/or websites:

Servei de Protecció d'Espècies. 2007. Projecte Bioatles. Conselleria de Medi Ambient. Govern de les Illes Balears

Pérez Mellado, V. y Riera, N. 2002. Evaluación del estado de conservación de las poblaciones baleares del género Podarcis (Squamata, Lacertidae). Informe inédito por encargo de la Conselleria de Medi Ambient.

Unidad de Vida Silvestre. 1984. Cuantificación de algunas poblaciones insulares de lacértidos. Boletín de la Estación Central de Ecología, vol. XIII, núm 26. ICONA. MAPA.

Viada, C. 2006. Libro Rojo de los Vertebrados de las Baleares (3ª edición). Conselleria de Medi Ambient (Govern de les Illes Balears) [http://dgcapea.caib.es/pe/documents\\_pe/public\\_pe/tecnicos/vermell\\_vertebrats\\_actualitzat01.pdf](http://dgcapea.caib.es/pe/documents_pe/public_pe/tecnicos/vermell_vertebrats_actualitzat01.pdf)

#### 2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 40
- 2.3.2 Date of range determination:
- 2.3.3 Quality of data concerning range:
- 2.3.4 Range trend: Stable (=)
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period: 1990-2007
- 2.3.7 Reasons for reported trend: Unknown
- and/or specify

#### 2.4 Population of the species in the biogeographic region or marine region

##### 2.4.1 Population size estimation:

| Population size estimation (minimum) | Population size estimation (maximum) | Population units      |
|--------------------------------------|--------------------------------------|-----------------------|
| 250000                               |                                      | Number of individuals |

2.4.2 Date of population estimation: 2007

2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling

## Podarcis lilfordi

|  |  |
|--|--|
| 2.4.4 Quality of data on area:                             | Moderate e.g. based on partial data with some extrapolation  |
| 2.4.5 Population trend:                                    | Stable (=)   |
| 2.4.6 Population trend magnitude (km2):                    |  |
| 2.4.7 Population trend period:                             | 1990-2007  |
| 2.4.8 Reasons for reported trend:                          | Natural processes  |
| and/or specify:  |  |
| 2.4.9 Justification of % thresholds for trends (optional): |  |
| 2.4.10 Main pressures:                                     | 240 Taking / Removal of fauna, general<br>966 - antagonism arising from introduction of species<br>967 - antagonism with domestic animals<br>990 Other natural processes |
| 2.4.11 Threats   | 966 - antagonism arising from introduction of species<br>967 - antagonism with domestic animals<br>990 Other natural processes   |

### 2,5 Habitat for the species in the biogeographic region or marine region

|                                   |                                     |
|-----------------------------------|-------------------------------------|
| 2.5.1 Habitats for the species:   |                                     |
| 2.5.2 Area estimation (km2):      | 18                                  |
| 2.5.3 Date of estimation:         | 2006                                |
| 2.5.4 Quality of the data:        | Good e.g based on extensive surveys |
| 2.5.5 Trend of the habitat:       | Stable (=)                          |
| 2.5.6 Trend period:               | 1990-2007                           |
| 2.5.7 Reasons for reported trend: | Other                               |
| Other (specify):                  | protección de los islotes           |

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

### 2.7 Complementary information

|   |   |
|---|---|
| 2.7.1 Favourable reference range (km2):       | Approximately equal to  |
| 2.7.2 Favourable reference population:        | Approximately equal to  |
| 2.7.3 Suitable habitat for the species (km2): | 18  |
| 2.7.4 Other relevant information (optional):  | Aunque la especie en su conjunto muestra una situación favorable, hay que consi |

| Conclusion                                  | Biogeographical or marine level | Conclusions within Natura 2000 sites (optional) |
|---|---------------------------------|---|
| Conclusions: (2.3) Range:                   | Favourable (FV)                 |   |
| Conclusions: (2.4) Population:              | Favourable (FV)                 |   |
| Conclusions: (2.5) Habitat for the species: | Unknown (XX)                    |   |
| Conclusions: (2.6) Future prospects:        | Favourable (FV)                 |   |
| Conclusions: Overall assessment:            | Favourable (FV)                 |   |