


# Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)

## Genetta genetta

### 1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **ALP ATL MED**

map-distribution



### 2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **ALPINE**

2.2 Published sources and/or websites:

Palomo L.J. y Gisbert J. 2002. Atlas de mamíferos terrestres de España. Dirección General de Conservación de la Naturaleza- SECEM- SECEMU, Madrid, 564 pp.

Blanco J.C. 1998. Mamíferos de España. Ed Planeta. Barcelona

2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 6954,45
- 2.3.2 Date of range determination: 2002
- 2.3.3 Quality of data concerning range: Poor e.g. based on very incomplete data or on expert judgement
- 2.3.4 Range trend: Unknown (X)
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period:
- 2.3.7 Reasons for reported trend: Unknown  
and/or specify

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
70	70	Number of localities

2.4.2 Date of population estimation:

2.4.3 Methods used for population estimation:

2.4.4 Quality of data on area:

2.4.5 Population trend:

2.4.6 Population trend magnitude (km2):

2.4.7 Population trend period:

# Genetta genetta

- 2.4.8 Reasons for reported trend: Not applicable
- and/or specify:
- 2.4.9 Justification of % thresholds for trends (optional):
- 2.4.10 Main pressures: 243 - trapping, poisoning, poaching
- 2.4.11 Threats

## 2,5 Habitat for the species in the biogeographic region or marine region

- 2.5.1 Habitats for the species:
- 2.5.2 Area estimation (km2):
- 2.5.3 Date of estimation:
- 2.5.4 Quality of the data:
- 2.5.5 Trend of the habitat:
- 2.5.6 Trend period:
- 2.5.7 Reasons for reported trend: NotApplicable
- Other (specify):

## 2.6 Future prospects for the species:

## 2.7 Complementary information

- 2.7.1 Favourable reference range (km2):
- 2.7.2 Favourable reference population:
- 2.7.3 Suitable habitat for the species (km2):
- 2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

## 2.1 Biogeographical region or marine region: ATLANTIC

## 2.2 Published sources and/or websites:

Palomo, L.J. & Gisbert, J. (2002). Atlas de los Mamíferos Terrestres de España. DGCN-SECEM-SECEMU. Madrid, 564.

SGHN (1995). Atlas de Vertebrados de Galicia. Consello da Cultura Galega. Ponencia de Patrimonio Natural. Tomos I y II. Santiago.

Nores, C. & García-Rovés, P. 2007. Libro Rojo de la Fauna del Principado de Asturias. Consejería de Medio Ambiente, Ordenación del Territorio e Infraestructuras del Principado de Asturias-Obra Social “la Caixa”.

ÁLVAREZ, J., BEA, A., FAUS, J.M., CASTIÉN, E. y MENDIOLA, I. 1985. Atlas de los Vertebrados Continentales de Araba, Vizcaya y Guipúzcoa (excepto Chiroptera). Servicio Central de Publicaciones del Gobierno Vasco.

ÁLVAREZ, J. et al. 1998. Vertebrados continentales: situación actual en la Comunidad Autónoma del País Vasco. Gobierno Vasco.

ILLANA, A. y PANIAGUA, D. 2002. Atlas de Distribución de Carnívoros en el Territorio Histórico de Álava. Departamento de Agricultura y Pesca, Gobierno Vasco. (URL: [http://www.ingurumena.ejgv.euskadi.net/r49-3613/eu/contenidos/informacion/investigacion\\_bio/eu\\_1096/adjuntos/atlas\\_carnivoros.pdf](http://www.ingurumena.ejgv.euskadi.net/r49-3613/eu/contenidos/informacion/investigacion_bio/eu_1096/adjuntos/atlas_carnivoros.pdf)).

GONZÁLEZ-ESTEBAN, J. y VILLATE, I. 2005. Red de seguimiento de carnívoros en la Comunidad Autónoma del País Vasco. Dirección de Biodiversidad, Gobierno Vasco. Informe inédito. (URL: [www.euskadi.net/r33-](http://www.euskadi.net/r33-)

# Genetta genetta

2732/es/contenidos/informe\_estudio/seguimiento\_carnivoros/es\_est/adjuntos/documento.pdf).

PANIAGUA, D, ECHEGARAY, J. e ILLANA, A. 2004. Carnívoros terrestres en los bosques-isla de la Llanada Alavesa. Dirección de Biodiversidad, Gobierno Vasco. Informe inédito. (URL [www.ingurumena.ejgv.euskadi.net/.../contenidos/informacion/investigacion\\_bio/es\\_1096/adjuntos/2002\\_gaden.pdf](http://www.ingurumena.ejgv.euskadi.net/.../contenidos/informacion/investigacion_bio/es_1096/adjuntos/2002_gaden.pdf)).

Velasco, J.C., Lizana, M., Román, J., Delibes, M. & Fernández, J. 2005. Guía de los peces, anfibios, reptiles y mamíferos de Castilla y León. Náyade Editorial. Medina del Campo (Valladolid).

## 2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2:	40320,01
2.3.2 Date of range determination:	1970-2007
2.3.3 Quality of data concerning range:	Good e.g based on extensive surveys
2.3.4 Range trend:	Stable (=)
2.3.5 Range trend magnitude in km2 (optional):	
2.3.6 Range trend period:	1995-2007
2.3.7 Reasons for reported trend:	Unknown
and/or specify	

## 2.4 Population of the species in the biogeographic region or marine region

	Population size estimation (minimum)	Population size estimation (maximum)	Population units
	405	510	Number of localities
2.4.1 Population size estimation:	2007		
2.4.2 Date of population estimation:	Based on expert opinion		
2.4.3 Methods used for population estimation:	Good e.g based on extensive surveys		
2.4.4 Quality of data on area:	Stable (=)		
2.4.5 Population trend:			
2.4.6 Population trend magnitude (km2):	1995-2007		
2.4.7 Population trend period:	Unknown		
2.4.8 Reasons for reported trend:	and/or specify:		
2.4.9 Justification of % thresholds for trends (optional):			
2.4.10 Main pressures:	160 General Forestry management 180 Burning 243 - trapping, poisoning, poaching 500 Communication networks 502 - roads, motorways 701 - water pollution 790 Other pollution or human impacts/activities 850 Modification of hydrographic functioning, general		
2.4.11 Threats	160 General Forestry management 180 Burning 243 - trapping, poisoning, poaching 500 Communication networks 502 - roads, motorways 701 - water pollution 790 Other pollution or human impacts/activities 850 Modification of hydrographic functioning, general		

## 2,5 Habitat for the species in the biogeographic region or marine region

# Genetta genetta

2.5.1 Habitats for the species:	Bosques espesos asociados a cursos fluviales y zonas de matorral:Bosques aluviale
2.5.2 Area estimation (km2):	
2.5.3 Date of estimation:	
2.5.4 Quality of the data:	
2.5.5 Trend of the habitat:	
2.5.6 Trend period:	
2.5.7 Reasons for reported trend:	NotApplicable
Other (specify):	

2.6 Future prospects for the species: Good prospects - species expected to survive and prosper

## 2.7 Complementary information

2.7.1 Favourable reference range (km2):
2.7.2 Favourable reference population:
2.7.3 Suitable habitat for the species (km2):
2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	

2.1 Biogeographical region or marine region: **MEDITERRANEAN**

## 2.2 Published sources and/or websites:

Palomo, L.J. & Gisbert, J. (2002). Atlas de los Mamíferos Terrestres de España. DGCN-SECEM-SECEMU. Madrid, 564.

SGHN (1995). Atlas de Vertebrados de Galicia. Consello da Cultura Galega. Ponencia de Patrimonio Natural. Tomos I y II. Santiago.

ÁLVAREZ, J., BEA, A., FAUS, J.M., CASTIÉN, E. y MENDIOLA, I. 1985. Atlas de los Vertebrados Continentales de Araba, Vizcaya y Guipúzcoa (excepto Chiroptera). Servicio Central de Publicaciones del Gobierno Vasco.

ÁLVAREZ, J. et al. 1998. Vertebrados continentales: situación actual en la Comunidad Autónoma del País Vasco. Gobierno Vasco.

ILLANA, A. y PANIAGUA, D. 2002. Atlas de Distribución de Carnívoros en el Territorio Histórico de Álava. Departamento de Agricultura y Pesca, Gobierno Vasco. (URL: [http://www.ingurumena.ejgv.euskadi.net/r49-3613/eu/contenidos/informacion/investigacion\\_bio/eu\\_1096/adjuntos/atlas\\_carnivoros.pdf](http://www.ingurumena.ejgv.euskadi.net/r49-3613/eu/contenidos/informacion/investigacion_bio/eu_1096/adjuntos/atlas_carnivoros.pdf)).

GONZÁLEZ-ESTEBAN, J. y VILLATE, I. 2005. Red de seguimiento de carnívoros en la Comunidad Autónoma del País Vasco. Dirección de Biodiversidad, Gobierno Vasco. Informe inédito. (URL: [www.euskadi.net/r33-2732/es/contenidos/informe\\_estudio/seguimiento\\_carnivoros/es\\_est/adjuntos/documento.pdf](http://www.euskadi.net/r33-2732/es/contenidos/informe_estudio/seguimiento_carnivoros/es_est/adjuntos/documento.pdf)).

PANIAGUA, D, ECHEGARAY, J. e ILLANA, A. 2004. Carnívoros terrestres en los bosques-isla de la Llanada Alavesa. Dirección de Biodiversidad, Gobierno Vasco. Informe inédito. (URL [www.ingurumena.ejgv.euskadi.net/.../contenidos/informacion/investigacion\\_bio/es\\_1096/adjuntos/2002\\_gaden.pdf](http://www.ingurumena.ejgv.euskadi.net/.../contenidos/informacion/investigacion_bio/es_1096/adjuntos/2002_gaden.pdf)).

AGIRRE-MENDI, P.T., ZALDÍVAR, C., 1991. Contribución al Atlas Mastozológico de la Comunidad Autónoma de La Rioja I. Revista Zubía 9: 65-88.

Blanco J.C. 1998. Mamíferos de España. Ed Planeta. Barcelona.

Velasco, J.C., Lizana, M., Román, J., Delibes, M. & Fernández, J. 2005. Guía de los peces, anfibios, reptiles y mamíferos de Castilla y León. Náyade Editorial. Medina del Campo (Valladolid).

# Genetta genetta

Consejería de Medio Ambiente, Agricultura y Agua, 2006. “Libro Rojo de los Vertebrados de la Región de Murcia”.

## 2.3 Range of the species type in the biogeographic region or marine region

- 2.3.1 Surface area of species range in km2: 72420,04
- 2.3.2 Date of range determination: 2202-2007
- 2.3.3 Quality of data concerning range: Moderate e.g. based on partial data with some extrapolation
- 2.3.4 Range trend:
- 2.3.5 Range trend magnitude in km2 (optional):
- 2.3.6 Range trend period:
- 2.3.7 Reasons for reported trend: Not applicable  
and/or specify

## 2.4 Population of the species in the biogeographic region or marine region

- 2.4.1 Population size estimation:

Population size estimation (minimum)	Population size estimation (maximum)	Population units
729	729	Number of localities
- 2.4.2 Date of population estimation: 2002-2007
- 2.4.3 Methods used for population estimation: Extrapolation from surveys of part of the population or from sampling
- 2.4.4 Quality of data on area: Moderate e.g. based on partial data with some extrapolation
- 2.4.5 Population trend:
- 2.4.6 Population trend magnitude (km2):
- 2.4.7 Population trend period:
- 2.4.8 Reasons for reported trend: Not applicable  
and/or specify:
- 2.4.9 Justification of % thresholds for trends (optional):
- 2.4.10 Main pressures:
  - 160 General Forestry management
  - 180 Burning
  - 230 Hunting
  - 243 - trapping, poisoning, poaching
  - 500 Communication networks
  - 701 - water pollution
  - 790 Other pollution or human impacts/activities
  - 850 Modification of hydrographic functioning, general
  - 965 - predation
- 2.4.11 Threats
  - 160 General Forestry management
  - 180 Burning
  - 230 Hunting
  - 500 Communication networks
  - 701 - water pollution
  - 790 Other pollution or human impacts/activities
  - 850 Modification of hydrographic functioning, general
  - 965 - predation

## 2,5 Habitat for the species in the biogeographic region or marine region

- 2.5.1 Habitats for the species: Bosques espesos asociados a cursos fluviales y zonas de matorral: Bosques aluvial
- 2.5.2 Area estimation (km2):
- 2.5.3 Date of estimation:

Genetta genetta

2.5.4 Quality of the data:

2.5.5 Trend of the habitat:

2.5.6 Trend period:

2.5.7 Reasons for reported trend: NotApplicable

Other (specify):

2.6 Future prospects for the species:

2.7 Complementary information

2.7.1 Favourable reference range (km2):

2.7.2 Favourable reference population:

2.7.3 Suitable habitat for the species (km2):

2.7.4 Other relevant information (optional):

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Unknown (XX)	
Conclusions: (2.4) Population:	Unknown (XX)	
Conclusions: (2.5) Habitat for the species:	Unknown (XX)	
Conclusions: (2.6) Future prospects:	Unknown (XX)	
Conclusions: Overall assessment:	Unknown (XX)	