

Report on the main results of the surveillance under article 11 for annex II, IV and V species (Annex B)


Cistus chinamadensis

1. National level

Biogeographical regions and/or marine regions concerned within the Member State: **MAC**

map-range

map-distribution



map-favourable-range



2. Biogeographical or marine level

2.1 Biogeographical region or marine region: **MACARONESIAN**

2.2 Published sources and/or websites:

Beltrán E., Wildpret W., León C., García A. & A. Reyes (1999). Libro Rojo de la Flora Canaria contenida en la Directiva-Hábitats Europea. Ministerio de Medio Ambiente. 694 pp.

Bañares A., Blanca G., Güemes J., Moreno J.C. & Ortiz S., eds. (2003). Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Dirección General de Conservación de la Naturaleza. Madrid. 1072 pp

http://www.mma.es/porta1/secciones/biodiversidad/inventarios/inb/flora_vascular/pdf/211.pdf

http://www.mma.es/porta1/secciones/biodiversidad/inventarios/inb/flora_vascular/pdf/212.pdf

2.3 Range of the species type in the biogeographic region or marine region

2.3.1 Surface area of species range in km2: 500

2.3.2 Date of range determination: 2003

2.3.3 Quality of data concerning range:

Cistus chinamadensis

2.3.4 Range trend:	Increasing (+)
2.3.5 Range trend magnitude in km2 (optional):	
2.3.6 Range trend period:	1990-2003
2.3.7 Reasons for reported trend:	Direct human influence (restoration, deterioration, destruction) Improved knowledge/more accurate data
and/or specify	

2.4 Population of the species in the biogeographic region or marine region

2.4.1 Population size estimation:	Population size estimation (minimum)	Population size estimation (maximum)	Population units
	2758	0	Number of individuals
2.4.2 Date of population estimation:	2003		
2.4.3 Methods used for population estimation:	From comprehensive inventory		
2.4.4 Quality of data on area:	Good e.g based on extensive surveys		
2.4.5 Population trend:	Increasing (+)		
2.4.6 Population trend magnitude (km2):			
2.4.7 Population trend period:	1990-2003		
2.4.8 Reasons for reported trend:	Other (specify)		
	and/or specify:		
2.4.9 Justification of % thresholds for trends (optional):			
2.4.10 Main pressures:	965 - predation 971 - competition		
2.4.11 Threats	965 - predation		

2,5 Habitat for the species in the biogeographic region or marine region

2.5.1 Habitats for the species:	El taxón crece preferentemente sobre sustratos sálicos, generalmente fonolitas, s
2.5.2 Area estimation (km2):	200
2.5.3 Date of estimation:	2007
2.5.4 Quality of the data:	Moderate e.g. based on partial data with some extrapolation
2.5.5 Trend of the habitat:	Stable (=)
2.5.6 Trend period:	1970-2006
2.5.7 Reasons for reported trend:	NaturalProcesses
Other (specify):	Disminución de los factores de amenaza (erradicación de herbívoros introducidos)

2.6 Future prospects for the species:	Good prospects - species expected to survive and prosper
---------------------------------------	--

2.7 Complementary information

2.7.1 Favourable reference range (km2):	Less than
2.7.2 Favourable reference population:	Less than
2.7.3 Suitable habitat for the species (km2):	50
2.7.4 Other relevant information (optional):	En la isla de La Gomera se ha incrementado el número de efectivos de manera co

Conclusion	Biogeographical or marine level	Conclusions within Natura 2000 sites (optional)
Conclusions: (2.3) Range:	Inadequate but improving (U1+)	
Conclusions: (2.4) Population:	Inadequate but improving (U1+)	

Cistus chinamadensis

Conclusions: (2.5) Habitat for the species:	Inadequate but improving (U1+)
Conclusions: (2.6) Future prospects:	Inadequate but improving (U1+)
Conclusions: Overall assessment:	Inadequate but improving (U1+)